## Hospital beds and furniture, IV stands, mattresses and medical refrigerators.

A FEW THINGS YOU CAN DEPEND ON US FOR.





Ayush Isolation Bed

PEAK PROD. CPTY.

FACTORY LOCATION 150 (per day) Vikhroli, Mumbai



Application Area	-	Isolation Rooms, For General Ward, OPD, Emergency Waiting Area
<b>Overall Dimension</b>	-	L 202.0cm X W 91.8cm x H 96.4cm
Platform Dimension	-	L 190.0cm x W 91.5cm
Lying Surface	-	Sheet Metal (MS)
Head/Foot Board	-	With differential height (350 mm head side & 150 mm leg side)
IV Pole Holder	-	2 Corners (16mm dia)
Mosquito Rod Holder	-	At all 4 Corners (22mm dia)
Patient Working Load	-	135kg

# Ayush Sheet Bed

PEAK PROD. CPTY. 100-110 (per day) factory location Vikhroli, Mumbai



Application Area -	For General Ward,	OPD, Emergency Waiting Area, Isolation Rooms
--------------------	-------------------	--

- Overall Dimension L 222.2cm x W 92.2cm x H 61cm
- Platform Dimension L 190cm x W 90cm
- Lying Surface Mild steel (MS)
- Head/Foot Board Board made of MS vertical pipe
- Patient Working Load 135kg



# Ayush Semi Fowler Bed

**PRODUCTION CAPACITY** 75-80 (per day)

factory location Vikhroli, Mumbai



Application Area	-	For General Ward, Sharing Rooms and Semi-Private Rooms, Isolation Rooms
<b>Overall Dimension</b>	-	L 222.2cm x W 92.2cm x H 61cm
Platform Dimension	-	L 207.5cm x W 90cm
Lying Surface	-	Mild steel (MS)
Head/Foot Board	-	Board made of MS vertical pipe
Crank Handle	-	Single crank handle is provided with 1 lead screw for Backrest function
Castors	-	12.5cm, Single Wheel Diagonal Locking
Patient Working Load	-	135kg

### Backrest

70deg +/- 2deg

### Positions



Backrest Adjustable

## Ayush Plus Semi Fowler Bed-SSPLT

PRODUCTION CAPACITY 75-80 (per day)

FACTORY LOCATION Vikhroli, Mumbai



- Application Area-For General Ward, Sharing Rooms and Semi-Private Rooms,<br/>Isolation Rooms
- Overall Dimension L 214.1cm x W 91.5cm x H 56cm
- Platform Dimension L 207.5cm x W 90cm
- Lying Surface Mild steel (MS)
- Head/Foot Board Easily removable board made of SS bow with PLT Laminate at the centre
- Crank Handle Single crank handle is provided with 1 lead screw for Backrest function
- Castors 12.5cm, Single Wheel Diagonal Locking
- Patient Working Load 135kg

### Backrest

70deg +/- 2deg

### Positions



Backrest Adjustable

## **PRODUCT DESCRIPTION** Ayush Fowler Bed

PRODUCTION CAPACITY 75-80 (per day) Vikhroli, Mumbai

FACTORY LOCATION



Application Area	-	For General Wards & Sharing Rooms, Isolation rooms	
Overall Dimension	-	L 222.2cm x W 92.2cm x H 61cm	
Platform Dimension	-	L 207.5cm x W 90cm	
Lying Surface	-	Mild steel (MS)	
Head/Foot Board	-	Board made of MS vertical pipe	
Crank Handle	-	Single removable crank handle is provided with 2 lead screws for Backrest & Knee Rest Function	
Castors	-	12.5cm, Single Wheel Diagonal Locking	
Patient Working Load	-	135kg	

Backrest 70deg +/- 2deg

#### **Positions**



## Knee Rest 24deg +/- 2deg



# 5 Function Vita Lite Bed

#### **Application Area** Suitable for ICU/ICCU/HDU units, Isolation Rooms, Patient with Critical Requirements **Overall Dimension** L 222.2cm x W 92.2cm x H 61cm **Platform Dimension** L 207.5cm x W 90cm \_ **Head/Foot Board** Board made of MS vertical pipe \_ Lying Surface Mild steel (MS) -MS Side Rails with pull to turn mechanism covering **Safety Side Rails** -2/3<sup>rd</sup> of the bed length **Crank Handle** Single removable crank handle is provided with 4 lead \_ screws for following functions: Backrest, Knee Rest, Hi-low & Trendelenburg, Reverse Trendelenburg Castors 12.5cm, Single Wheel Diagonal Locking **Patient Working Load** 135kg -









Maximum Height Position



Trendelenburg

Trendelenbura



**Backrest** 70deg +/- 2deg


Knee Rest 24deg +/- 2deg

Hi-Low 49cm to 77cm

Trendelenburg 10deg +/- 2deg

Reverse Trendelenburg 8deg +/- 2deg

# Motorised ICU Bec







Position



Trendelenburg

Backrest 66deg +/- 5deg

**Knee Rest** 24deg +/- 5deg

Hi-Low 42.5cm to 77.5cm

Trendelenburg 15deg +/- 1deg

Reverse Trendelenburg 15deg +/- 1deg


## Deluxe Locker: 1 Drawer 1 Cabinet

**Overall Dimension** 

- L 40.2cm x W 42.2cm x H 84cm

Features

- • 5cm dia. castors with front locking
  - SS 304 make top
  - Lock facility in drawer and cabinet





## PRODUCT DESCRIPTION SS Saline Stand

<b>Overall Dimension</b>	-	Base Circle dia. 65.2cm x Adjustable Height from 165.5cm up to 236.5cm
Features	-	<ul> <li>2 hook completely SS make 5 pronged height adjustable saline stand</li> <li>5cm dia. castors are used</li> </ul>
Safe Working Load	_	2kg per hook







<b>Overall Dimension</b>	-	L 77.5cm x W 53.1cm x H 91.5cm
Features	-	<ul> <li>2 shelves made of SS 304 with ra</li> <li>12.5cm dia. diagonal locking cas</li> </ul>
Safe Working Load	_	10kg



h railing on all four corners castors

## **PRODUCT DESCRIPTION** 4 Section Mattress

**PRODUCTION CAPACITY** 

#### FACTORY LOCATION

200 (per day)

**Overall Dimension** 

Foam Details

Compatibility


Features

Haridwar

Overall Dimension	-	L 196.5cm x W 83cm x H 10cm Option of 7.5cm Height Mattress is also available	
Foam Details	-	PU Foam with density 40kg/cubic metre	
Features	-	Four section mattress is water-resistant, fire retardant & antimicrobial painted to prevent bacterial growth Easy to remove and clean	
Compatibility	-	All semi motorised, manual ICU & fowler range of beds	



#### PRODUCTION CAPACITY FACTORY LOCATION **PRODUCT DESCRIPTION** Single Section Mattress 200 (per day) Haridwar



- L 190cm x W 90cm x H 10cm \_ Option of 7.5cm Height Mattress is also available
- PU Foam with density 40kg/cubic metre
- Single section mattress is water-resistant, fire retardant & antimicrobial painted to prevent bacterial growth Easy to remove and clean
- All Sheet Range of Beds -

## **PRODUCT DESCRIPTION** Square Stool

-

**Overall Dimension** L 41.1cm x W 41.1cm x H 52.2cm \_

Features

- SS square top with MS understructure - Fixed height still without castors

Safe Working Load -135kg



## **PRODUCT DESCRIPTION** Personal Locker

- Hanging rods in 1 & 2 Door Locker Models
- Stands are also available in option of 1 Locker, 2 Locker or 3 Locker combination and make cleaning of work area easy
- Label holders are provided for easy identification
- Lockers can be provided with or without lock and can function as standalone units or as a multi-unit configuration



## product description Slimline

**PRODUCTION CAPACITY** 350 (per day)

FACTORY LOCATION Vikhroli, Mumbai

**Durable CRCA Steel Construct:** CRCA Steel has stood the test of time and durability. This is why the Slimline Wardrobe excels in both, giving a piece that is strong and long-lasting.

**Internal Storage:** Tidying up will be a thing of the past with this multiple shelving unit. Cleverly designed internal structure allows easy categorisation and storage.

**Security:** One part design and one part security, the Slimline Wardrobe is a perfect mix of both. This wardrobe ticks all the right boxes in terms of keeping your things secure and safe.

**Easy Maintenance:** Spring cleaning will no longer be an arduous task, just wipe with a damp cloth and you are done.





## **PRODUCT DESCRIPTION** Storwel

- Saving unit that provides safe and convenient storage of books, admin files, stationery etc.
- Provides maximum storage with 4 adjustable shelves that can store just about anything
- 3 way bolting device and 6 lever lock for safety
- Available in welded construction or glass door option



## PRODUCT DESCRIPTION Chair Versa High Back

## FACTORY LOCATION Bhagwanpur-Roorkee

Height Adjustable Back and Arms	-	The contoured lumbar area can be adjusted to suit the user's back profile by adjusting the back height
T-spine Structure	-	This supports the contoured chair back, providing flexibility in the back height adjustment
Active Bio Synchro Mechanism	-	An auto back-tilt tension adjustment. This is based on a user's body weight in which the seat 'glide' function during tilting ensures proper lower back support
Seat Depth Adjustment	-	This allows the seat to be adjusted in a forward or backward position, enabling long-term comfort while performing multi-role tasks



## PRODUCT DESCRIPTION Chair Bravo Mid Back

FACT Bhag

- Wide contoured and thick cushion seat & back
- Centre Tilt Synchronous Mechanism with tilt tension adjustment
- Polypropylene abuse resistive armrest
- 100% VOC-free powder coating
- Designed for long life and easy part replacement



### FACTORY LOCATION

Bhagwanpur-Roorkee

## PRODUCT DESCRIPTION Doctor's Table - WORK

- All-wood desk with a free-standing pedestal
- Wire management cut-outs on both side panels to connect wires to monitor, ensuring a neat and clutter-free worktop
- Adequate storage with a 3-drawer pedestal
- Available with accessories\* like CPU Trolley & KBPT (Keyboard Pull-out Tray)





## PRODUCT DESCRIPTION Enterprise 1500

Wire Slots	-	Slots provided in the top frame for passage of wires
Storage Space	-	Sufficient storage provided in the pedestal takes care
Wooden Modesty	-	Wooden Modesty panel offers the needed privacy, ar Wire Carrier ensures a clutter-free and organised des
CPU Mount	-	An Accessory: CPU Mount ensures that the CPU doe

he pedestal takes care of the storage requirement

he needed privacy, and the Vertical and Horizontal ree and organised desk

ares that the CPU does not take space on the floor

Vaccine Refrigerators

Best suited for preserving vital medicines needing storage between 2°C to 8°C cooling at all times including vaccines, ophthalmic drugs, insulin vials, etc. Proven to deliver optimal antifreeze 2°C - 8°C cooling for the longest holdover period without power, even at 43°C ambient. Solar direct drive models eliminating need for battery, suited for remote rural locations also available.



VOLUME	HOLDOVER TIME (43°C Ambient)	<b>CURRENT STOCK</b> (stock as of 4.4.2020)	<b>PRODUCTION CAPACITY</b>	FACTORY LOCATION	WAREHOUSE
50L	8 days	4	25 (per day)	7	Shirwal, Kolka
50L - DC	8 days	0	15 (per day)	Shirwal,	
100L - DC	10 days	0	15 (per day)	Maharashtra	
225L	3 days	30	25 (per day)		Shirwal, Bhiw

















## **E LOCATIONS**

kata, Guwahati

iwandi, Nagpur, Chennai



Vaccine Refrigerators (Lite Series)

Lite series vaccine refrigerators are lighter, more compact and efficient. They deliver the antifreeze 2°C - 8°C cooling with an optimised holdover period of 3+ days.



VOLUME	HOLDOVER TIME (43°C Ambient)	<b>CURRENT STOCK</b> (stock as of 4.4.2020)	<b>PRODUCTION CAPACITY</b>	FACTORY LOCATION	WARE
25L	3 days	1	25 (per day)	7	Kochi
51L	3 days	2	25 (per day)	Shirwal,	Hyder
75L	3 days	2	25 (per day)	Maharashtra	Chenr
99L	3 days	42	50 (per day)		Shirwa


















#### GVR 99 Lite

## **EHOUSE LOCATIONS**

## erabad, Guwahati

nnai, Bhiwandi

## val, Mohali, Jammu



## Blood Bank Refrigerators

Best suited for preserving whole unseparated blood needing storage between  $2^{\circ}C - 6^{\circ}C$  cooling at all times. Proven to deliver optimal antifreeze  $2^{\circ}C - 6^{\circ}C$  cooling for the longest holdover period without power, even at 43°C ambient. Solar direct drive models eliminating need for battery, suited for remote rural locations also available.



VOLUME	NO. OF 350ml BLOOD BAGS	HOLDOVER TIME (43°C Ambient)	(stock as of 4.4.2020)	<b>PRODUCTION CAPACITY</b>
50L	54	8 days	0	25 (per day)
50L - DC	54	8 days	0	15 (per day)
100L	81	10 days	0	25 (per day)
100L - DC	81	10 days	0	15 (per day)
225L	160	3 days	0	25 (per day)



















## **FACTORY LOCATION**

Shirwal, Maharashtra

Qube

Compact thermoelectric Food & Beverage Cooler: Optimal for storing medicines, foods and beverages at 8-10°C in indoor ambient conditions. Does not make ice. Best suited for isolation centres and hospital rooms. Delivers silent cooling without frequent defrosting hassles thanks to eco-friendly, solid-state electronic cooling technology, which does not use a compressor or refrigerant gas.



Dimensions (HxWxD)	-	46 x 44 x 49cm
Net Weight	-	11kg
AC Power Input	-	230v AC 50 Hz
AC Current	-	0.3A
Cooling Capacity (at 32°C ambient)	-	8°C to 10°C
Power Consumption	-	65W
Comprehensive Warranty	-	1 Year





## **FACTORY LOCATION**

Shirwal, Maharashtra